

Manufacturing and trading company «Ecopolymer»


109029, Moscow, st. Srednyaya Kalitnikovskaya, 28, bldg 2, fl 2, rm 1, rm 10 Tel.: +7 (495) 710-86-22. E-mail: tpp@ecopolymer.com www.ecopolymer.com

QUESTIONNAIRE

FOR RAKE SCREEN SELECTION

Responsible pe	rson full name	Positio	on		
Tel		Fax			
1. General information about the object					
1.1.	Object:				
_	I WWTP	☐ Pumping station	☐ Local WWTP		
_	Object capacity:				
		O.V.			
	m ⁷ /da				
1.3. Wastewater characteristics:					
☐ Domestic	wastewater	Storm water	☐ Industrial wastwater		
_	Existing mechani				
	nber of screens	Bar spacing In operation	pcs.		
	2	2. Specification for scre	eens selection		
2.1.	Required quantit	ty of the screens	.pcs.		
2.2.	Flow rate per one	e screen:			
Minimumm ³ /hour Averagem ³ /hour Maximum					
2.3.					
2.4.	2.4. Water level in channel before the screen with maximum flow rate: mm.				
2.5.	2.5. Water velocity before the screenm/sec.				
2.6.	2.6. Screenings discharge height over the channel level:				
850 mm		1 200 mm	1 500 mm		
Other					

2.7. Channel dimensions in the screen installation place:



	3. Armory					
3.1. Control system	n:					
☐ No	☐ Individual control cabinet	☐ Integrated control cabinet				
3.2. Gear-motor protection:						
IP55 (standard)	☐ IP 66	Other				
1.1. Material: AISI 304 Other	☐ AISI 321	☐ AISI 316L				
4. Draft (layout, plan) of installation room:						
5. Additional information:						
Responsible person Full nan	(Signature)				